



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/014,131	12/13/2001	Toshikazu Onishi	35.C13314 D2	3837
5514	7590 10/29/2003		EXAMINER	
	ICK CELLA HARPE	RAMSEY, KENNETH J		
•	FELLER PLAZA K. NY 10112		ART UNIT	PAPER NUMBER
	,		2879	
			DATE MAILED: 10/29/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
Advisory Action	10/014,131	ONISHI ET AL.			
Advisory Action	Examiner	Art Unit			
	Kenneth J. Ramsey	2879			
The MAILING DATE of this communication app	ars on the cover shet with the c	correspondenc address			
THE REPLY FILED FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.					
PERIOD FOR REPLY [check either a) or b)]					
 a)					
Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
1. A Notice of Appeal was filed on Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.					
2. The proposed amendment(s) will not be entered because:					
(a) ☐ they raise new issues that would require further consideration and/or search (see NOTE below);					
(b) ☐ they raise the issue of new matter (see Note below);					
(c) \(\sum \) they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or					
(d) ☐ they present additional claims without canceling a corresponding number of finally rejected claims.NOTE:					
3. Applicant's reply has overcome the following reject	tion(s):				
4. Newly proposed or amended claim(s) would canceling the non-allowable claim(s).		eparate, timely filed amendment			
5. ☑ The a) ☐ affidavit, b) ☐ exhibit, or c) ☑ request for reconsideration has been considered but does NOT place the application in condition for allowance because: <u>See Continuation Sheet</u> .					
6. The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.					
7. For purposes of Appeal, the proposed amendment explanation of how the new or amended claims we					
The status of the claim(s) is (or will be) as follows:					
Claim(s) allowed:					
Claim(s) objected to:					
Claim(s) rejected:					
Claim(s) withdrawn from consideration:					
8. The proposed drawing correction filed on is a) approved or b) disapproved by the Examiner.					
9. Note the attached Information Disclosure Statement(s)(PTO-1449) Paper No(s)					
10. Other:		, ,,,,,			
		Kenneth J. Ramsey Primary Examiner Art Unit: 2879			

Continuation of 5, does NOT place the application in condition for allowance because: one of ordinary skill who heats a substrate to remove water contamination obviously would also heat the chamber to remove water contamination in order to keep the substrate free of contamination.